

Work Order ID 145780

145780

Page 1

Friday, May 06, 2016 10:49:44 AM

Item ID: D412-702-303 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Harness Assembly
 Start Date: 5/9/2016 Start Qty: 2.00 ***2*** Cust Item ID:
 Required Date: 5/12/2016 Req'd Qty: 2.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: hcs Date: MAY 09 2016 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI 9511	A								
100		0.00							
100									
Small Fab	Memo	0.38							
Small Fab	Assemble as per dwg ICA D412-702 p.49								
110	QC5- Inspect part completeness to step on W/O	0.00							
110									
QC	Memo	0.04							
Quality Control									
120		0.00							
120									
Packaging	Memo	0.00							
Packaging	Identify with P/N & CHG# and pack for shipping as per PPP D412-702-303								
	CHG001								
	Location: <u>5468</u> 468								
	PPP Rev: _____								

2x 16/05/11 DAS 36 9-89

(2) MAY 12 2016 DAS 38 9-89

2 MAY 12 2016 DAS 6 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 145780

Friday, May 06, 2016 10:49:44 AM

145780

Page 2

Item ID: D412-702-303 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Harness Assembly
Start Date: 5/9/2016 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 5/12/2016 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
130 QC	Memo	0.20							
Quality Control									

MAY 13 2016

MAY 13 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____ _____ _____			
Misidentified ☐	☐	Past Due	☐				

Picklist Print

Friday, May 06, 2016 10:49:43 AM

Page 1

Work Order ID: 145780

145780

Parent Item: D412-702-303

D412-702-303

Parent Item Name: Harness Assembly

Start Date: 5/9/2016

Required Date: 5/12/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A new issue DD 10.04.30 verified:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3573-8		Manufactured	No			100	Each	8.0000	1	2			
D3573-8									**			16/05/11	DAS 36 9-89
Adapter													

Location Loc Qty Loc Code

GA	8	
131715	2	
137099	6	

D4088-041		Manufactured	No			100	Each	25.0000	1	2			
D4088-041									**			16/05/11	DAS 36 9-89
Shoulder Harness													

Location Loc Qty Loc Code

ST466	13	
132510	9	
141470	4	
ST470	12	
142556	8	
143796	4	

MS24693-S272		Purchased	No			100	Each	92.0000	4	8			
MS24693-S272									**			16/05/11	DAS 36 9-89
SCREW													

Location Loc Qty Loc Code

CA	41	
M129682	41	
GA	3	
M126190	3	
ST286	48	
M130799	48	

M134738
(8X)

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
						QC / QA Coordinator Approval			

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Picklist Print

Friday, May 06, 2016 10:49:43 AM

Page 2

Work Order ID: 145780

145780

Parent Item: D412-702-303

D412-702-303

Parent Item Name: Harness Assembly

Start Date: 5/9/2016

Required Date: 5/12/2016

Start Qty: 2.00

Required Qty: 2.00

NAS1149D0316J

Purchased

No

100

Each

2,003.000

4

8

*

NAS1149D0316.I

**

Washer

16/05/11

DAS
36
9-89

Location

Loc Qty

Loc Code

GA

52

M132677 ~

52

ST264

1951

M134502

1951

8

MS21042L3

Purchased

No

100

Each

1,726.000

4

8

MS21042I 3

**

Nut

16/05/11

DAS
36
9-89

Location

Loc Qty

Loc Code

FP001

100

m133790

100

GA

701

m133790

3

m134360 ~

698

ST303

925

m134039

12

m134360

313

m134634

600

8

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____			

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D412-702 REV. E AND
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D412-702 REV. 3

REF TCCA STC SH04-7
REF FAA STC SR01997NY
REF EASA STC EASA.I.M.R.S.00710

1605-05
195780 M25
COPY TO
1. TO THE
2. TO THE
3. TO THE
4. TO THE
5. TO THE
6. TO THE
7. TO THE
8. TO THE
9. TO THE
10. TO THE
11. TO THE
12. TO THE
13. TO THE
14. TO THE
15. TO THE
16. TO THE
17. TO THE
18. TO THE
19. TO THE
20. TO THE
21. TO THE
22. TO THE
23. TO THE
24. TO THE
25. TO THE
26. TO THE
27. TO THE
28. TO THE
29. TO THE
30. TO THE
31. TO THE
32. TO THE
33. TO THE
34. TO THE
35. TO THE
36. TO THE
37. TO THE
38. TO THE
39. TO THE
40. TO THE
41. TO THE
42. TO THE
43. TO THE
44. TO THE
45. TO THE
46. TO THE
47. TO THE
48. TO THE
49. TO THE
50. TO THE
51. TO THE
52. TO THE
53. TO THE
54. TO THE
55. TO THE
56. TO THE
57. TO THE
58. TO THE
59. TO THE
60. TO THE
61. TO THE
62. TO THE
63. TO THE
64. TO THE
65. TO THE
66. TO THE
67. TO THE
68. TO THE
69. TO THE
70. TO THE
71. TO THE
72. TO THE
73. TO THE
74. TO THE
75. TO THE
76. TO THE
77. TO THE
78. TO THE
79. TO THE
80. TO THE
81. TO THE
82. TO THE
83. TO THE
84. TO THE
85. TO THE
86. TO THE
87. TO THE
88. TO THE
89. TO THE
90. TO THE
91. TO THE
92. TO THE
93. TO THE
94. TO THE
95. TO THE
96. TO THE
97. TO THE
98. TO THE
99. TO THE
100. TO THE

This service instruction adds several kits equipped with improved inertia reels:

The Dart **D412-702-341** 13-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for all 13 passenger seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-041B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-343** 5-Man Forward Facing Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 5 forward facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-043B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-345** 4-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 4 aft facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-045B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-347** 4-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 4 side facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-047B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-349** 1-Man Shoulder Harness Kit provides a 3-point harness with an inertia reel and joined lap and shoulder belts for the center forward facing seating position in the aircraft cabin. The kit also contains hardpoints for securing the harness. The harness for this kit meets the requirements of TSO-C114 and replaces the existing lap belts. This kit should be installed similar to the D412-702-049B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-351** 1-man 3-point shoulder harness kits are available for the outboard seats of the 5-man forward facing bench in Bell 205/212/214/412 model aircraft. The kit can be installed LH or RH. These kits should be installed similar to the D412-702-051B/-052B kits, as detailed in Table 1 of this service instruction.

The Dart **D214-702-337** 5-Man Aft Facing Shoulder Harness Kit provides 3-point harnesses with inertial reels and joined lap and shoulder belts for the 5-man aft facing seat installed in the Bell 214B/B1 model aircraft. This kit should be installed similar to the D214-702-037B kit, as detailed in Table 1 of this service instruction.

The Dart **D205-702-353** 4-Man Aft Facing Shoulder Harness Kit provides 3-point harnesses with inertial reels and joined lap and shoulder harnesses for the 4-man aft facing seat installed in the UH-1 model aircraft. This kit should be installed similar to the D205-702-053B kit, as detailed in Table 1 of this service instruction.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)
DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

A	NEW ISSUE	CP	10.03.18
REV.	DESCRIPTION	BY	DATE
DESIGN	97	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	97		
CHECKED	1	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 1 OF 6
APPROVED	10	TITLE	SCALE
DE APPR.	10	NEW SHOULDER HARNESS KITS	NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

INSTALLATION

The Dart D412-702-3XX kits should be installed similar to the kits in Installation Instructions IIN-D412-702 Rev. E or Dart Service Instruction (DSI) listed below:

TABLE 1

Part Number	Description	Install similar to:
D412-702-341	Shoulder Harness Kit	D412-702-041B (IIN-D412-702, DSI 9408)
D412-702-343	Shoulder Harness Kit	D412-702-043B (IIN-D412-702, DSI 9453 [214], DSI 9408)
D412-702-345	Shoulder Harness Kit	D412-702-045B (IIN-D412-702, DSI 9469)
D412-702-347	Shoulder Harness Kit	D412-702-047B (IIN-D412-702, DSI 9408)
D412-702-349	Shoulder Harness Kit	D412-702-049B (IIN-D412-702, DSI 9408)
D412-702-351	Shoulder Harness Kit	D412-702-051B (LH) (DSI 9397, DSI 9408) D412-702-052B (RH) (DSI 9397, DSI 9408)
D214-702-337	Shoulder Harness Kit	D214-702-037B (DSI 9454)
D205-702-353	Shoulder Harness Kit	D205-702-053B (DSI 9460)
D412-702-301	Harness Assembly	D412-702-101B (IIN-D412-702)
D412-702-303	Harness Assembly	D412-702-103B (IIN-D412-702)
D412-702-305	Harness Assembly	D412-702-105B (IIN-D412-702)
D412-702-307	Harness Assembly	D412-702-107B (IIN-D412-702)
D412-702-309	Harness Assembly	D412-702-109B (IIN-D412-702)
D412-702-311	Harness Assembly	D412-702-111B (IIN-D412-702)
D412-702-313	Harness Assembly	D412-702-113B (IIN-D412-702)
D412-702-315	Harness Assembly	D412-702-115B (IIN-D412-702)
D412-702-317	Harness Assembly	D412-702-117B (IIN-D412-702)
D412-702-319	Harness Assembly	D412-702-119B (DSI 9454)
D412-702-321	Harness Assembly	D412-702-121B (DSI 9454, DSI 9469)
D412-702-323	Harness Assembly	D412-702-123B (DSI 9454, DSI 9469)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	92	
CHECKED		DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 2 OF 6
APPROVED	160	TITLE SCALE
DE APPR.	A	NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

PARTS LIST

TABLE 2

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
X						D412-702-341	Dart 13-Man 3-Point Shoulder Harness Kit
	X					D412-702-343	Dart 5-Man 3-Point Forward Facing Shoulder Harness Kit
		X				D412-702-345	Dart 4-Man 3-Point Aft Facing Shoulder Harness Kit
			X			D412-702-347	Dart 4-Man 3-Point Side Facing Shoulder Harness Kit
				X		D412-702-349	Dart 1-Man 3-Point Forward Shoulder Harness Kit
					X	D412-702-351	Dart 1-Man 3-Point Shoulder Harness Kit
1	1		1	1		D412-702-059	GROMMET KIT
9	5		4	1	1	D3761-1-041	HOOK AND LOOP STRIP (DSI 9408)
2	1		1			D412-702-301	HARNESS ASSEMBLY (NEW)
1*	1*		1*			D3573-7	ADAPTER
1*	1*		1*			D4088-041	SHOULDER HARNESS (NEW)
4*	4*		4*			MS24693S272	SCREW
4*	4*		4*			AN960JD10LL	WASHER
4*	4*		4*			MS21042L3	NUT
2	1		1			D412-702-303	HARNESS ASSEMBLY (NEW)
1*	1*		1*			D3573-8	ADAPTER
1*	1*		1*			D4088-041	SHOULDER HARNESS (NEW)
4*	4*		4*			MS24693S272	SCREW
4*	4*		4*			AN960JD10LL	WASHER
4*	4*		4*			MS21042L3	NUT
1	1			1		D412-702-305	HARNESS ASSEMBLY (NEW)
1*	1*			1*		D3573-1	ADAPTER
1*	1*			1*		D4088-041	SHOULDER HARNESS (NEW)
4*	4*			4*		MS24693S273	SCREW
4*	4*			4*		AN960JD10LL	WASHER
4*	4*			4*		MS21042L3	NUT
1	1				1	D412-702-307	HARNESS ASSEMBLY (NEW)
1*	1*				1*	D3573-3	ADAPTER
1*	1*				1*	D4088-041	SHOULDER HARNESS (NEW)
4*	4*				4*	MS24693S272	SCREW
4*	4*				4*	AN960JD10LL	WASHER
4*	4*				4*	MS21042L3	NUT
1	1					D412-702-309	HARNESS ASSEMBLY (NEW)
1*	1*					D3573-3	ADAPTER
1*	1*					D4088-041	SHOULDER HARNESS (NEW)
4*	4*					MS24693S272	SCREW
4*	4*					AN960JD10LL	WASHER
4*	4*					MS21042L3	NUT

* denotes that part is included in assembly above

continued next page...

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 3 OF 6
APPROVED		TITLE	SCALE
DE APPR.		NEW SHOULDER HARNESS KITS	NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

...continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
1		1				D412-702-311	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-1	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-313	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-2	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1			1			D412-702-315	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1			1			D412-702-317	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1		1				D412-702-321	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-3	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-323	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-4	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT

* denotes that part is included in assembly above

continued next page...

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *D. Shepherd*
D. SHEPHERD (DE # 02)
DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	<u>92</u>	DART AEROSPACE LTD	
DRAWN	<u>92</u>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<u>1</u>	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 4 OF 6
APPROVED	<u><i>AP</i></u>	TITLE	SCALE
DE APPR.	<u><i>TH</i></u>	NEW SHOULDER HARNESS KITS NTS	
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

... continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
2	2					D3542-1	BRACKET
7	3		4	1		D3571-1	GUIDE
2	2					D3571-3	GUIDE
2		2				D3572-041	GUIDE ASSEMBLY
12	6		6	2		D3578-041	DOUBLER
2	2					D3610-041	BRACKET
2	2					D3618-1	CAP
4	4					AN4-10A	BOLT
2		2				AN4-16A	BOLT
4		4				AN4-25A	BOLT
4		4				AN4-27A	BOLT (DSI 9469)
2	2					AN4-44A	BOLT
2	2					MS24693S274	SCREW
3	3			1		MS24694S56	SCREW
10	2		8			MS24694S58	SCREW
1	1			1		MS24694S60	SCREW
26	6	20				AN960JD416	WASHER
4	4					AN960JD416L	WASHER
12	6	6				MS21042L4	NUT
24	12		12	4		CR3212-4-4	RIVET

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	97	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	97	
CHECKED		DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 5 OF 6
APPROVED		TITLE SCALE
DE APPR.		NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

TABLE 3

QTY -337	QTY -353	Part Number	Description
X		D214-702-337	Dart 5-Man 3 Point Aft Facing Shoulder Harness Kit, for 214 Aircraft
	X	D205-702-353	Dart 4-Man 3 Point Aft Facing Shoulder Harness Kit, for UH-1 Aircraft
1	2	D412-702-311	HARNESS ASSEMBLY (NEW) -> SEE TABLE 2
1	2	D412-702-313	HARNESS ASSEMBLY (NEW) -> SEE TABLE 2
1		D412-702-321	HARNESS ASSEMBLY (NEW) -> SEE TABLE 2
1		D412-702-323	HARNESS ASSEMBLY (NEW) -> SEE TABLE 2
1		D412-702-319	HARNESS ASSEMBLY (NEW)
1*		D3925-041	BRACKET
1*		D4088-043	SHOULDER HARNESS ASSEMBLY (NEW)
4*		MS24694S50	BOLT
4*		AN960JD10L	WASHER
4*		MS21042L3	NUT
	1	D3572-043	GUIDE ASSY
	1	D3572-044	GUIDE ASSY
1		D3920-041	SEATBELT GUIDE ASSEMBLY
2		D3920-5	SEATBELT GUIDE
1	6	AN4-16A	BOLT
1		AN4-21A	BOLT
7		AN4-25A	BOLT
18	12	AN960JD416	WASHER
9	6	MS21042L4	NUT

* denotes that part is included in assembly above

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY:


D. SHEPHERD (DE # 02)

DATE: 10.03.22


CERT. NO.: SH04-7

ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD	
DRAWN	97	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 6 OF 6
APPROVED	159	TITLE	SCALE
DE APPR.		NEW SHOULDER HARNESS KITS	NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**DETAIL 'K' D412-702-101A/-103A/-105A/-107A/-109A/-115A/-117A AND
D412-702-101B/-103B/-105B/-107B/-109B/-115B/-117B OR -301/-303/-305/-
307/-309/-315/-317 HARNESS ASSEMBLIES**



DETAIL 'L' D412-702-111A/-111B/-113A/-113B OR -311/-313/-321/-323 HARNESS ASSEMBLIES

• COPYRIGHT © 2004 BY DART AEROSPACE LTD. •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR
COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

25-00-00